

Fagron Advanced Derma

Compatibility table

- Legend**
- Compatible combination for
- 14/15 days
 - 30 days
 - 60 days
 - 90 days

- ★ Especially recommended combination
- % Compatible combination up to x%
- Combination not studied
- ⊗ Combination not compatible

API/DCI

		<div>Skin types</div> <div>Oily skinBalanced skinDehydrated skinVery dehydrated skinAffected skinSpecific skin area</div>										
	Common concentration (s)	OCCLUVAN™	EMOLIVAN™	VERSATILE™ RICH	VERSATILE™	NOURIVAN™ ANTIOX	FITALITE™	NOURILITE™	SERAQUA™	NOURISIL™	SOLYDRA™	ESPUMIL™
Alfatradiol (17α-estradiol)	0.025 to 0.05%	○	○	○	○	○	●	○	●	○	○	●
Aloe vera extract	0.5 to 10%	○	●	●	●	8%	5% ●	●	●	●	⊗	○
Alpha bisabolol	0.5 to 5%	○	●	●	●		●	1% ●	1% ●	○	○	○
Ammonium lactate	1 to 12%	○	●	10% ●	10% ●	8%	⊗	●	○	○	○	○
Anthralin/dithranol	0.05 to 3%	●	●				○	⊗	○	○	○	○
Arginine HCl	2.5%	○		●	●		⊗	●	⊗	○	○	○
Ascorbic acid (vit. C)	5 to 15%	○	○	●			⊗	5%	10%		○	○
Azelaic acid	10 to 20%	○	⊗	●	●	○	●	○	⊗	○	○	○
Benzoyl peroxide	2.5 to 10%	○	○			⊗	5%	●	○	○	○	○
Benzyl benzoate	25%	○	●	⊗	●	○	⊗	●	○	○	○	○
Betamethasone dipropionate	0.05%	●	●	●	●			●	○	○	○	○
Betamethasone valerate	0.025 to 0.1%	●	●	●	●			0.05% ●	○	○	○	○
Caffeine	1 to 2%	○	○	●	●		●	●	●	○	○	●
Chamomile extract	0.5 to 5%	●	●	●	●		●	●	●	●	⊗	○
Ciclopirox olamine	1%	●	●	●	●		●	○	○	○	○	○
Clindamycin HCl	1 to 3%	○	○			○	●	●	○	●	○	○
Clobetasol propionate	0.05%	●	●	●	●		●	●	●	○	○	
Clotrimazole	1 to 2%	○	●	●	●	○	●	●	○	○	○	○
Coal tar crude (pix lithanthracis)	1 to 10%	●	●	●	●	○	○	●	○	○	○	○
Coal tar solution (liquor carbonis detergens)	5 to 20%	10%	●	10% ●	10% ●	○	○	●	○	○	○	○
Cyanocobalamin (vit. B12)	0.07%	●	●					●	●	○	○	○
Desonide	0.05 to 0.1%	●	●	●	●		●	●	○	○	○	○
Desoximetasone	0.25%	●	●	●	●		●	●	○	○	○	○
Dexpanthenol	0.5 to 5%	●	●	●	●		●	●	●	●	⊗	○
Diclofenac sodium	3%	○	●	●	●	○	⊗	●	●	○	○	○
Diflucortolone valerate	0.1 to 0.3%	●	●	●	●		●	●	○	○	○	○
Erythromycin	0.5 to 4%	○	○	●	●		●		○	○	○	○
Finasteride	0.1%	○	○	○	○	○	○	○	●	○	○	●
Fluocinolone acetonide	0.01 to 0.1%	●	●	●	●		●	●	○	○	○	○
Glycerol	0.5 to 20%	●	●	●	●	8%	5% ●	●	●	●	○	○
Glycolic acid	5 to 15%	○	○	●	●		●	●	●	○	○	○
Hyaluronic acid	0.2 to 2.5%	●	⊗	⊗	⊗	○	⊗	⊗	⊗		○	○
Hydrocortisone	0.25 to 2.5%	●	●	●	●	●	●		○	○	○	○
Hydrocortisone acetate	0.25 to 2.5%	●	●	●	●	●	●		○	○	○	○
Hydroquinone	2 to 4%	○	○	⊗	⊗		⊗	⊗	⊗	○	○	○
Ketoconazole	2%	○	●	●	●	○	●	●	●	○	○	●
Kojic acid	1 to 4%	○	○	○	○					○	○	○
Lactic acid	1 to 20%	○	10% ●	●	●	○	●	●	●	○	○	○
Latanoprost	0.005%	○	○	○	○	○		○	120 days	○	○	●
Lidocaine	0.5 to 10%	5% ●	○	○	○	○	○	○	○	●	○	○
Lidocaine HCl	0.5 to 10%	⊗	5%	●	●		⊗	●	●	○	○	○
Melatonin	0.0033 to 0.1%	○	○	○	○	○	●	○	●	○		●
Menthol	1 to 3%	●	●	●	●		●	○	●	●	0.33%	●
Metronidazole	0.5 to 3%	○	○	●	●	⊗	●	●	●	○	○	○
Minoxidil	2 to 5%	○	○	○	○	○	●	○	●	○	○	180 days
Mometasone furoate	0.1%	●	●	●	●			●	○	○	○	○
Nicotinamide (vit. B3)	2 to 5%	●	●	●	●		●	●	●	○	⊗	○
Permethrin	5%	○	●	●	○	○	●	●	○	○	○	○
Prostaquinon™	3% and 30%	○	○	○	○	○	○	○	○	30% ●	○	3% ●
Resorcinol	15%	○	○	⊗	⊗		⊗	○	○	○	○	○
Retinol (vit. A)	0.4%	○	○					●		○	○	○
Salicylic acid	0.5 to 20%	●	●	10% ●	10% ●	○	5% ●	●	○	○	○	○
Shea butter	1 to 20%	●	●	⊗	●	8%	5%	⊗	⊗	⊗	⊗	○
Sodium hyaluronate	1%	○	○	○	○		○	●	●	○	○	○
Sulfur	5 to 10%	●	●			8%	5%	●	○	○	○	○
Tacrolimus	0.03 to 0.5%	●	●						○	○	○	○
Tetracycline HCl	2 to 3%	○	○	●	●		⊗	⊗	○	○	○	○
Tocopherol (vit. E)	0.5 to 20%	●			●	8%	5% ●	●		5% ●	○	○
Tretinoin (vit. A acid)	0.01 to 0.1%	○	○					●	●	○	○	●
Triamcinolone acetonide	0.025 to 0.1%	●	●	●	●		●	●	○	○	○	○
Urea	5 to 40%	⊗	10% ●			○		20% ●	●	○	⊗	○
Zinc oxide	1 to 40%	●	●	25% ●	10% ●	8%	5% ●	25% ●	○	25% ●	○	○
Zinc sulfate	1 to 10%	●	●	●	●	8%	5% ●	●	⊗	○	○	○

Fagron Advanced Derma

Leading advanced dermatological care

Please refer to the Compounding Matters formulations database at fagron.com for all compounding methods and storage conditions.

Fagron Advanced Derma vehicles allow for stable preparations with a broad range of APIs and DCIs. Combinations that have been scientifically studied for chemical, physical and microbiological stability are included in this Fagron Advanced Derma compatibility table.

The compatibility table and Fagron's free Compounding Matters formulations database support health professionals in exploring possible treatment options. APIs or DCIs that are not included in these resources can also form elegant, stable compounded preparations that help to improve patient comfort and compliance. When no study data is available for a specific API or DCI, it is recommended that the pharmacist assigns an appropriate expiry date based on internal protocols, risk analysis or guidelines from accredited pharmacopoeias.

Disclaimer: While a great deal of effort has been spent to ensure the accuracy of the dosages and formulations contained herein, no claims are made as to the uses, safety, efficacy or bioavailability of these recommendations. The content of this table cannot be construed as being a (medical) advice, recommendation or opinion. Medical professionals, doctors and compounding pharmacists using this information are advised to do so solely if appropriate in their own professional opinion and judgement. Fagron does not accept and cannot be held responsible or liable in any case for the formulation or information contained herein.

FADct09

